

Multifree

ABWASSERPUMPEN





MEHR AUSWAHL - MEHR LEISTUNG


Die Freistromradpumpen Multifree bieten zuverlässige Lösungen zur Förderung von Abwässern im kommunalen und industriellen Bereich. Sie werden bevorzugt eingesetzt bei:

- Faserhaltigem Abwasser mit Zopf-
bildung
- Feststoffhaltigem Abwasser
- Abrasivem Abwasser
- Abwasser mit Luft- und Gasein-
schlüssen
- Mischwasser
- Rohabwasser
- Oberflächenwasser
- Regenwasser


Großes Leistungsspektrum
Optimierter Wirkungsgrad
Hohe Betriebssicherheit
Direktstart bis
einschließlich 45/...




**DN 80
2-polig**




**DN 80
4-polig**



**DN 100
2-polig**



**DN 100
4-polig**



DIE KOMPLETTE MULTIFREE FAMILIE

Ohne Explosionsschutz				
TYP	ART.-NR.	DN	MOTORLEISTUNG KW	
			P ₁	P ₂
10/2 AW1	JP47280	65	1,70	1,40
15/2 AW1	JP47278	65	2,10	1,70
25/2 AW1	JP09149	65	2,90	2,30
35/2 AW1	JP09151	65	4,05	3,30
45/2 AW1	JP46796	65	6,00	5,00
15/4 AW2	JP46791	65	1,80	1,40
25/4 AW2	JP46793	65	2,70	2,00
35/4 AW2	JP46794	65	4,00	3,10
45/4 AW2	JP46795	65	5,60	4,30
25/2 BW1	JP09498	80	3,27	2,55
35/2 BW1	JP09500	80	4,84	3,95
45/2 BW1	JP46856	80	6,00	5,00
75/2 BW1	JP46873	80	8,05	6,80
100/2 BW1	JP46871	80	12,20	10,70
15/4 BW1	JP09455	80	2,20	1,70
25/4 BW1	JP09456	80	2,80	2,10
35/4 BW1	JP09457	80	4,20	3,20
45/4 BW2	JP46858	80	5,50	4,20
55/4 BW2	JP48267	80	6,39	5,08
75/4 BW2	JP46877	80	8,25	6,70
100/4 BW2	JP46875	80	10,00	8,40
45/2 CW1	JP47352	100	6,00	5,00
75/2 CW1	JP46881	100	8,10	6,80
100/2 CW1	JP46879	100	12,20	10,70
10/4 CW1	JP09610	100	1,80	1,40
15/4 CW1	JP09612	100	2,40	1,90
25/4 CW1	JP09655	100	2,80	2,04
35/4 CW1	JP09858	100	4,00	3,00
45/4 CW2	JP47236	100	5,30	4,10
55/4 CW2	JP47372	100	6,30	5,10
75/4 CW2	JP47234	100	8,25	6,60
100/4 CW3	JP47354	100	12,95	10,60

Mit Explosionsschutz				
TYP	ART.-NR.	DN	MOTORLEISTUNG KW	
			P ₁	P ₂
10/2 AW1, EX	JP47281	65	1,70	1,40
15/2 AW1, EX	JP47279	65	2,10	1,70
25/2 AW1, EX	JP09150	65	2,90	2,30
35/2 AW1, EX	JP09152	65	4,05	3,30
45/2 AW1, EX	JP46870	65	6,00	5,00
15/4 AW2, EX	JP46792	65	1,80	1,40
25/4 AW2, EX	JP46867	65	2,70	2,00
35/4 AW2, EX	JP46868	65	4,00	3,10
45/4 AW2, EX	JP46869	65	5,60	4,30
25/2 BW1, EX	JP09499	80	3,27	2,55
35/2 BW1, EX	JP09501	80	4,84	3,95
45/2 BW1, EX	JP46857	80	6,00	5,00
75/2 BW1, EX	JP46874	80	8,05	6,80
100/2 BW1, EX	JP46872	80	12,20	10,70
15/4 BW1, EX	JP09458	80	2,20	1,70
25/4 BW1, EX	JP09459	80	2,80	2,10
35/4 BW1, EX	JP09460	80	4,20	3,20
45/4 BW2, EX	JP46859	80	5,50	4,20
55/4 BW2, EX	JP48268	80	6,39	5,08
75/4 BW2, EX	JP46878	80	8,25	6,70
100/4 BW2, EX	JP46876	80	10,00	8,40
45/2 CW1, EX	JP47353	100	6,00	5,00
75/2 CW1, EX	JP47229	100	8,10	6,80
100/2 CW1, EX	JP46880	100	12,20	10,70
10/4 CW1, EX	JP09609	100	1,80	1,40
15/4 CW1, EX	JP09611	100	2,40	1,90
25/4 CW1, EX	JP09656	100	2,80	2,04
35/4 CW1, EX	JP09859	100	4,00	3,00
45/4 CW2, EX	JP47237	100	5,30	4,10
55/4 CW2, EX	JP47373	100	6,30	5,10
75/4 CW2, EX	JP47235	100	8,25	6,60
100/4 CW3, EX	JP47355	100	12,95	10,60



JUNG PUMPEN GmbH | Industriestr. 4 – 6 | 33803 Steinhagen | Telefon +49 5204 170 | info@jung-pumpen.de | www.jung-pumpen.de

All indicated Pentair trademarks and logos are property of Pentair. Third party registered and unregistered trademarks and logos are the property of their respective owners.